



SPECIFICATIONS

SIGNAL SYSTEM	NTSC
SCANNING SYSTEM	2:1 Interlace
SCANNING FREQUENCY (H)	15.734 KHz
SCANNING FREQUENCY (V)	59.94 Hz
IMAGE SENSOR	1/3 Inch SONY Super HAD CCD
TOTAL PIXELS	811(H) x 508(V) 410K
TOTAL / EFFECTIVE PIXELS	768(H) x 494(V) 380K
HORIZONTAL RESOLUTION	530 TV Lines
VIDEO OUTPUT	1.0V p-p (75Ω, Composite)
S/N RATIO	More than 48dB(AGC Off)
LENS	Fixed Lens (f=3.8mm)
MIN.ILLUMINATION	0.3 Lux
WHITE BALANCE	Auto
AGC,BLC,Flickerless	On/Off (Dip Switch)
SHUTTER SPEED	1/60~1/10,000 Sec.
SUPPLIED VOLTAGE	DC 12V (10V~15V)
DIMENSIONS (ØXH)	55 x 85 x 85

FEATURES

- 1/3 inch Sony Super HAD CCD
- High Resolution : 530 TV Lines
- Built-in Fixed Lens (f=3.8mm)
- Min. Illumination : 0.3 Lux
- Auto White Balance (AWB)
- Auto Gain Control (AGC)
- Dome Size 55mm
- Vandal-Resistant Housing
- 12VDC